


Product information:

The VC3036 is a flush mount wall volume controllers for 100V PA installations. It is compatible with AUDAC and Niko installation materials. The volume is adjustable with a rotatable dial in ten steps of 3 dB and the maximum power rating is 36 Watt. A built-in relay makes it possible to build priority circuits between several controllers. Available in Black (B) and White (W). The 45 x 45 mm size is compatible with AUDAC, Niko, Legrand and other standard 45 x 45 mm Mounting frames and cover plates.

Applications:

- Corporate
- Residential



System specifications:

Peak power handling	72 W
Program power handling	36 W
RMS/AES power handling	36 W
Max. operation Voltage	100 V
Attenuation	9 x 3 dB
Relay	24 V / 25 mA

Product Features:

Dimensions	45 x 45 x 60 mm (W x H x D)
Weight	0.150 kg
Construction	ABS
Mounting	45 x 45 mm
Colours	Black (RAL9005) (VC3036/B)
	White (RAL9010) (VC3036/W)
Accessories	Optional
	CP45CF1 Cover frame
	CP45CF2 Cover frame

Variants:

- VC3036/B - Black version
- VC3036/W - White version


Shipping & Ordering:

Packaging

Cardboard box

Shipping weight & volume

0.150 kg - 0.000259 Cbm



VC3036

Product description

VOLUME CONTROL 36W 100V - FOR45X45

MM [INCH]	Scale	Outer dimensions (w x h x d)	Unit height	Weight
	3 : 1	45 x 45 mm 1,772 x 1,772 "	N/A	0,12 kg 0,26 lbs